

'THE TRUSTED NAME IN GUN SECURITY'

Built & Independently Tested To British Standard BS 7558/92 For Gun Security Cabinets - The Only Way To Guarantee Police Acceptance.

Manufactured In The UK By An ISO 9001 Registered Firm - Established 1982

Smaller Models Are Sentinel Gunsafes, Which Feature This Style Of Door (See Model List Overleaf)



Larger Models Are Sentinel Plus Gunsafes, Featuring A Vault Type Door (See Model List Overleaf)

Brattonsound Has Manufactured Over 200,000 Gunsafes.

Clients Include UK & Overseas Police Authorities & The Ministry Of Defence.

Our Expertise & Unrivalled Experience Will Enable You To Store Your Guns With Confidence.

Features Common To Sentinel & Sentinel Plus Gunsafes:

- **Strong 2mm Thick Fully Welded Steel Construction (Including Fully Welded Top).** Using The Latest CNC High Definition Plasma Cutting & Pressbrake Technology To Achieve Consistent Accuracy & High Quality.
- **Full Length Anti-Jimmy Bar.** For Increased Protection To Lock Side Of Gunsafe.
- **Full Length Anti-Lever Flange & Door Interlock.** To Give Strength On Hinge Side Of Gunsafe.
- **Recessed Door.** With Multiple Folds On Door & Door Housing To Maximise Strength & Resistance To Attack.
- **High Density Foam Divider & Floor Mat.**
- **Powder Coated.** Outstandingly Durable Light Grey Textured Finish. Iron Phosphate Pre-Treated To BS 3189, For Increased Powder Adhesion, And Then Powder Coated. Tested To BS 3900 Parts E2, E6, F9 & F12 - For Resistance To Scratching, Flaking, Humidity & Salt Spray.
- **14mm Fixing Holes In Back & Base.**

Sentinel Gunsafes:

- **Superior Strength 7 Lever Safe Deadlock(s).** With Forged Steel Bolt, Reinforced Casing & Reinforced Internal Mechanism.
- **Extra Door Reinforcement.** On Full Height Models.

Sentinel Plus Gunsafes:

- **Double Skinned Vault Type Door.**
- **5 Point Locking With Electro-Plated Solid Steel Locking Pins.**
- **7 Lever Double Throw Lock With Double Bitted Key.**
- **Radial Tumbler Lock On Internal Compartment.** On Models With Locking Top.

BRATTONSOUND ENGINEERING LTD.

UNIT 4, KIMPTON TRADE & BUSINESS CENTRE, MINDEN ROAD, SUTTON, SURREY SM3 9PF.

TELEPHONE: 020 8254 6800 FAX: 020 8641 9991

E-MAIL: sales@brattonsound.co.uk WEBSITE: www.brattonsound.co.uk



BRATTONSOUND ENGINEERING LTD®

SENTINEL GUNSAFES®



SHOTGUN/RIFLE SAFES

(Not Suitable For Rifles With Scopes)

Ref	Model	HxWxD(mm)	Wt.(kg)
	Sentinel		
SA2	2 Gun Break-Down (1 Lock)	839 x 268 x 244	19
SB2	2 Gun Break-Down (2 Lock)	839 x 268 x 244	19
SC2	2 Gun Cased	916 x 407 x 320	28
ST3	2/3 Gun Full	1308 x 216 x 204	25
ST5	4/5 Gun Full	1308 x 268 x 244	29
	Sentinel Plus (5 Point Locking)		
SS5+	4/5 Gun with 203mm Shelf	1515 x 268 x 271	38
SL5+	4/5 Gun with 203mm Internal Locking Top	1515 x 268 x 271	38
ST7+	6/7 Gun Full	1308 x 407 x 271	40
SS7+	6/7 Gun with 203mm Shelf	1515 x 407 x 271	44
SL7+	6/7 Gun with 203mm Internal Locking Top	1515 x 407 x 271	44
ST9+	9 Gun Full	1308 x 407 x 346	46
SS9+	9 Gun with 203mm Shelf	1515 x 407 x 346	54
SL9+	9 Gun with 203mm Internal Locking Top	1515 x 407 x 346	54

SPACE SAVER SAFES

IDEAL FOR THE BOTTOM OF UNDERSTAIRS CUPBOARDS ETC.
(Double Ended, Flush Top, Floor Mounted Safes - Used Laying On Their Backs)

Ref	Model	HxWxD(mm)	Wt.(kg)
	Sentinel		
VS1	2 Shotguns (Broken Down)	902 x 346 x 152	20
VS2	2 Shotguns - 28" Barrel (Fully Assembled), or 2 Rifles (up to 1135mm long)	1185 x 346 x 152	25
VS3	2 Shotguns - 32" Barrel (Fully Assembled), or 2 Rifles (any reasonable length)	1308 x 346 x 152	28

EXTRA DEEP RIFLE SAFES

(For Scoped Rifles & Shotguns)

Ref	Model	HxWxD(mm)	Wt.(kg)
	Sentinel		
RD5	4/5 Rifle Safe	1308 x 268 x 320	34
	Sentinel Plus (5 Point Locking)		
RL5+	4/5 Rifle with 203mm Internal Locking Top	1515 x 268 x 346	40
RD7+	6/7 Rifle Safe	1308 x 407 x 346	46
RL7+	6/7 Rifle with 203mm Internal Locking Top	1515 x 407 x 346	54

EXTRA TALL SAFES

(For Muzzle Loaders)

Ref	Model	HxWxD(mm)	Wt.(kg)
	Sentinel Plus (5 Point Locking)		
MT5+	4/5 Gun Extra Tall Muzzle Loader	1515 x 268 x 271	38
MT7+	6/7 Gun Extra Tall Muzzle Loader	1515 x 407 x 271	44
MT9+	9 Gun Extra Tall Muzzle Loader	1515 x 407 x 346	54



Shelves can be fitted as an optional extra in all models.

PISTOL/AMMO/ACCESSORY SAFES

Ref	Model	HxWxD(mm)	Wt.(kg)
	Sentinel		
PA5	5 Pistol or Ammo	388 x 268 x 244	10
PD7	7 Pistol or Ammo (extra deep)	388 x 407 x 320	16
SC2S	Bulk Storage Safe with 2 Shelves	916 x 407 x 320	33

Note: The above safes are not suitable for the storage of black powder. Please consult your local Police Firearms Officer who can advise you of the legal requirements.

Your nearest stockist is:

All sizes and weights shown are nominal.

In line with our policy of continual product improvement Brattonsound reserves the right to modify specifications.

For further gun protection Brattonsound recommends the use of Super VP90 Corrosion Inhibitor by Napier Of London.



Brattonsound operates
an ISO 9001 Quality
Assurance System.



'THE TRUSTED NAME IN GUN SECURITY'


The Answer To Your 'Guns In-Transit' Security Worries.

The First Gunsafe Designed For In-Vehicle & Home Use.

Manufactured In The UK By An ISO 9001 Registered Firm - Established 21 Years
Built & Independently Tested To BS7558/92 For Gun Cabinets.*

*For Home Security - There Is No British Standard For In-Vehicle Security.

The Auto Sentinel Is Designed To Be Fitted Lying On Its Back, And Is Perfect For In-Vehicle Security As Well As Being Ideal For Home Use. Our Unique Fixing Method Enables The Owner To Quickly Remove The Auto Sentinel From The Vehicle When It Is Not In Use. If Required, Our Optional Home-Fixing Bracket Allows The User To Secure The Auto Sentinel Within The House In Minutes, To Give Home Security To British Standard BS/7558 For Gun Cabinets. Once The Brackets Are Fitted The Keyholder Requires Only A Spanner To Secure Or Remove The Gunsafe.



Available In 3 Sizes.

- **Superior Strength 7 Lever Safe Deadlocks.** With Forged Steel Bolt, Reinforced Lock Casing & Reinforced Internal Mechanism.
- **Strong 2mm Thick Fully Welded Steel Construction.** Using The Latest CNC High Definition Plasma Cutting & Pressbrake Technology To Achieve Consistent Accuracy & High Quality.
- **Full Length Anti-Jemmy Bar.** For Increased Protection To Lock Side Of Gunsafe.
- **Full Length Anti-Lever Flange & Door Interlock.** To Give Strength On Hinge Side Of Gunsafe.
- **Recessed Door.** With Multiple Folds On Door & Door Housing To Maximise Strength & Resistance To Attack.
- **Additional Door Reinforcement On All Models.**
- **Lined With Plain & Dimpled Foam.** To Hold The Guns In Place.
- **A Selection Of 8 Fixing Holes In Back Of Cabinet.** Useful If Fitting The Gunsafe In A Vehicle As You Only Need To Use 4.
- **Powder Coated.** Outstandingly Durable Light Grey Textured Finish. Iron Phosphate Pre-Treated To BS 3189, For Increased Powder Adhesion, And Then Powder Coated. Tested To BS 3900 Parts E2, E6, F9 & F12 - For Resistance To Scratching, Flaking, Humidity & Salt Spray.

BRATTONSOUND ENGINEERING LTD.

UNIT 4, KIMPTON TRADE & BUSINESS CENTRE, MINDEN ROAD, SUTTON, SURREY SM3 9PF.

TELEPHONE: 020 8254 6800 FAX: 020 8641 9991

E-MAIL: brattonsound@aol.com WEBSITE: www.brattonsound.co.uk

BRATTONSOUND ENGINEERING LTD®

AUTO SENTINEL GUNSAFES®

Models

Ref	External Dimensions W/L x D x H (mm)	Useable Space W/L x D x H (mm)	Internal Door Opening Size W/L x D (mm)	Wt. (kg.)	Typical Usage
VS1	902 x 346 x 152	875 x 338 x 120	818 x 227	20	2 # Shotguns (Broken Down)
VS2	1185 x 346 x 152	1158 x 338 x 120	1101 x 227	25	2 # Shotguns (Broken Down), Or 2 # Shotguns - 28" Barrel (Fully Assembled), Or 2 # Rifles (Up To 1135mm Long)
VS3	1308 x 346 x 152	1281 x 338 x 120	1224 x 227	28	2 # Shotguns - 32" Barrel (Fully Assembled), Or 2 # Rifles (Any Reasonable Size)

The typical usage of each model is shown for guidance. Please ensure your guns will fit before purchasing an Auto Sentinel as they are designed as multi-use gunsafes to fit into small spaces, and not all types of guns fit any particular model. Large scopes on rifles might reduce the capacity to 1 rifle. Please also ensure that the gunsafe you require will fit in your vehicle (and/or space at home), before purchasing. If you require help with your purchase please speak to your stockist, or, telephone us and we will be pleased to advise you.




Removing The Foam Lining & Stowing Your Guns In Their Slips Enables You To Carry More Guns In The Auto Sentinel

Fit The Auto Sentinel In Your Vehicle

It Can Be Removed By The Keyholder In Minutes

With Our Optional Home-Fixing Bracket The Auto Sentinel Can Be Secured In Your Home In Minutes



Auto Sentinel® With Optional Home-Fixing Bracket

Fitting Methods

Vehicle Use

Vehicle Brackets - For Easy Release (Supplied As Standard). 4 fixing brackets, which are permanently fitted to the vehicle, to align with any 4 of the 8 fixing holes in the back of the Auto Sentinel. The brackets are fitted inside the vehicle, to the bodywork, and 4 small holes need to be cut through the carpet. The gunsafe is then easily secured to, and removed from, the vehicle by the use of 4 bolts (supplied) that can only be accessed by opening the Auto Sentinel. Removing the gunsafe leaves just 4 small brackets in the vehicle. Depending on the carpet thickness these brackets will either fit flush, or slightly protrude through the carpet.

Permanent Vehicle Fixing. If you are unlikely to frequently remove the Auto Sentinel from your vehicle you might prefer to bolt straight through 4 of the 8 fixing holes without using the Vehicle Brackets.


Home Use

Home-Fixing Bracket - For Easy Release (Optional Extra). Fit the Home-Fixing Bracket in your house and the Auto Sentinel can then be secured to, and removed from, the bracket by 4 bolts (supplied) that can only be accessed by opening the gunsafe. The Home-Fixing Bracket is ideal for the shooter who wants just one gunsafe for home and vehicle use.

Permanent Fixing. Dependent on the location of the gunsafe, and the type of floor, it might be acceptable to secure straight to your floor by using 4 or more of the 8 fixing holes in the back of the Auto Sentinel. As the police have to satisfy themselves that the gunsafe is securely fitted, we suggest that you discuss this with your inspecting officer before doing it. Alternatively you can drill extra fixing holes in the side or end of the gunsafe, so that it can also be secured to the wall.



Vehicle Brackets
(1 Fitted Under & Through Carpet)



Home-Fixing Bracket



Auto Sentinel® Permanently Fitted In The Home (Without Using Fixing Brackets)

Vehicle Security

If using the Auto Sentinel in a vehicle it is the users responsibility to ensure that a competent person properly fits the fixing brackets and/or gunsafe bearing in mind safety and security:

Safety: The vehicle brackets must be fitted in a way that does not jeopardise the integrity of the vehicle, or invalidate any vehicle warranty. For example the drill and/or fixing screws must not pierce the petrol tank, hydraulic pipes or wiring etc.

As each vehicle is different each will require its own fitting solution. However, the Auto Sentinel has a choice of 8 securing holes in the back, to be aligned with the 4 fixing brackets in the vehicle, and this gives plenty of choice when positioning the brackets.

Security: The brackets must be securely fixed to the vehicle for optimum security from the Auto Sentinel; there is little point in locking your guns away if the gunsafe is easily stolen from the vehicle.

All sizes and weights shown are nominal.

In line with our policy of continual product improvement Brattonsound reserves the right to modify specifications.

For further gun protection Brattonsound recommends the use of Super VP90 Corrosion Inhibitor by Napier of London.



Brattonsound operates an ISO 9001 Quality Assurance System.



Your nearest stockist is: